This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

| BLACK BORDERS
| IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
| FADED TEXT OR DRAWING
| BLURRED OR ILLEGIBLE TEXT OR DRAWING
| SKEWED/SLANTED IMAGES
| COLOR OR BLACK AND WHITE PHOTOGRAPHS
| GRAY SCALE DOCUMENTS
| LINES OR MARKS ON ORIGINAL DOCUMENT
| REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
_	19667	((authoriz\$5 access\$3) with level) and ((serial adj number) id identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 15:11
-	769553	((authoriz\$5 access\$3) with level) and ((serial adj number) id identifier) and (compar\$4 or determin\$4 or match\$4 verify\$4 verification determination validation check\$3) ((serial adj number) id identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 15:16
_	7603	((authoriz\$5 access\$3) with level) and ((serial adj number) id identifier) and (compar\$4 or determin\$4 or match\$4 verify\$4 verification determination validation check\$3)with ((serial adj number) id identifier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 15:16
	350	((authoriz\$5 access\$3) with level) and ((serial adj number) id identifier) and (compar\$4 or determin\$4 or match\$4 verify\$4 verification determination validation check\$3) with ((serial adj number) id identifier) and ((authoriz\$5 access\$3) with level with first) same ((authoriz\$5 access\$3) with level with second)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 16:35
	127	((authoriz\$5 access\$3) with level) and ((serial adj number) id identifier) and (compar\$4 or determin\$4 or match\$4 verify\$4 verification determination validation check\$3)with ((serial adj number) id identifier) and ((authoriz\$5 access\$3) with level with first) same ((authoriz\$5 access\$3) with level with second) same (compar\$4 or determin\$4 verify\$4 verification determination)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03
	81	((authoriz\$5 access\$3 trust privilege) with level) and ((serial adj number) id identifier) and (compar\$4 or determin\$4 or match\$4 verify\$4 verification determination validation check\$3)with ((serial adj number) id identifier) and ((authoriz\$5 access\$3) with level with first) same ((authoriz\$5 access\$3) with level with second) and (configur\$3 enabl\$3 authoriz\$3) same ((run\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 16:57
_	46	execut\$3) with (application program)) 4916738.URPN.	USPAT	2004/08/03 16:51
-	147	<pre>(configur\$3 enabl\$3 authoriz\$3) same (device apparatus pda fpda programmable) same ((run\$3 execut\$3) with (application program)) and ((authoriz\$5 access\$3 trust privilege security) with level) same (compar\$4 or determin\$4 or match\$4 verify\$4 verification determination validation check\$3) same ((run\$3 execut\$3) with (application program))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 11:03
_	219	(configur\$3 enabl\$3 authoriz\$3) same (device apparatus pda fpda programmable) same ((run\$3 execut\$3) with (application program) and ((authoriz\$5 access\$3 trust privilege security) with level authority) same (compar\$4 or determin\$4 or match\$4 verify\$4 verification determination validation check\$3) same ((run\$3 execut\$3) with (application program))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 17:11

[-	178	(configur\$3 enabl\$3 authoriz\$3) same	USPAT;	2004/08/03
Į		(device apparatus pda fpda programmable)	US-PGPUB;	17:14
		same ((run\$3 execut\$3) with (application	EPO; JPO;	- / •
				•
		program)) and ((authoriz\$5 access\$3	DERWENT;	
		trust privilege security) with level	IBM_TDB	
		authority) same (compar\$4 or determin\$4		
		or match\$4 verify\$4 verification		
		determination validation check\$3) same	· '	
		((run\$3 execut\$3) with (application		
	ŀ	program)) and (compar\$4 or determin\$4		
		or match\$4 verify\$4 verification		
	İ	determination validation check\$3) with		
		((serial adj number) id identifier		
		identification code key)		0004/00/00
_	76	(configur\$3 enabl\$3 authoriz\$3) same	USPAT;	2004/08/03
		(device apparatus pda fpda programmable)	US-PGPUB;	17:15
		same ((run\$3 execut\$3) with (application	EPO; JPO;	
		program)) and ((authoriz\$5 access\$3	DERWENT;	
		trust privilege security) with level	IBM TDB	
		authority) same (compar\$4 or determin\$4	_ ` `	
		or match\$4 verify\$4 verification		
,	1	determination validation check\$3) same		
		((run\$3 execut\$3) with (application		
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
1		program)) and (compar\$4 or determin\$4		
		or match\$4 verify\$4 verification		ļ
		determination validation check\$3) with		
		((serial adj number) id identifier		
		identification code key) and (copy\$4		
		duplicate\$3 reproduc\$3) with ((serial adj		
		number) id identifier identification		
		code key)		
1	30		USPAT;	2004/08/03
_	30	(configur\$3 enabl\$3 authoriz\$3) same	•	1
		(device apparatus pda fpda programmable)	US-PGPUB;	17:23
		same ((run\$3 execut\$3) with (application	EPO; JPO;	
	1	program)) and ((authoriz\$5 access\$3	DERWENT;	
		trust privilege security authority) with	IBM_TDB	
		level) same (compar\$4 or determin\$4 or	_	
	1	match\$4 verify\$4 verification		
1	1	determination validation check\$3) same	· ·	
1	1	((run\$3 execut\$3) with (application		
1	1	program)) and (compar\$4 or determin\$4		
1	1			
1	1	or match\$4 verify\$4 verification		İ
		determination validation check\$3) with		
1		((serial adj number) id identifier		
1		identification code key) and (copy\$4	İ	
		duplicate\$3 reproduc\$3) with ((serial adj	1	
		number) id identifier identification	ļ	
		code key) and encrypt\$4 same (data		
1		information record) same ((serial adj		
		number) id identifier identification		
		code key) same ((authoriz\$5 access\$3		
1		trust privilege security authority) with		
		level)		I

-	186	(configur\$3 enabl\$3 authoriz\$3) same	USPAT;	2004/08/03
		(device apparatus pda fpda programmable)	US-PGPUB;	17:23
		same ((run\$3 execut\$3) with (application	EPO; JPO;	
		program)) and ((authoriz\$5 access\$3	DERWENT;	
		trust privilege security authority))	IBM_TDB	
		same (compar\$4 or determin\$4 or match\$4		
	İ	verify\$4 verification determination		
		validation check\$3) same ((run\$3		
		execut\$3) with (application program))		
		and (compar\$4 or determin\$4 or match\$4		
1		verify\$4 verification determination		
		validation check\$3) with ((serial adj number) id identifier identification		
		code key and (copy\$4 duplicate\$3		
		reproduc\$3) with ((serial adj number) id		
		identifier identification code key) and		
		encrypt\$4 same (data information record)		
		same ((serial adj number) id identifier		
		identification code key) same		
		((authoriz\$5 access\$3 trust privilege		
		security authority))		
_	156	((configur\$3 enabl\$3 authoriz\$3) same	USPAT;	2004/08/03
		(device apparatus pda fpda programmable)	US-PGPUB;	18:07
		same ((run\$3 execut\$3) with (application	EPO; JPO;	
		program)) and ((authoriz\$5 access\$3	DERWENT;	
		trust privilege security authority))	IBM TDB	
		same (compar\$4 or determin\$4 or match\$4	-	
		verify\$4 verification determination		
		validation check\$3) same ((run\$3		
		execut\$3) with (application program))		
		and (compar\$4 or determin\$4 or match\$4		
		verify\$4 verification determination		
		validation check\$3) with ((serial adj		
		number) id identifier identification		
		code key) and (copy\$4 duplicate\$3		
		reproduc\$3) with ((serial adj number) id		
	1	identifier identification code key) and		
	1	encrypt\$4 same (data information record)		
		same ((serial adj number) id identifier		
		identification code key) same		
		((authoriz\$5 access\$3 trust privilege		
		security authority))) not ((configur\$3 enabl\$3 authoriz\$3) same (device		
		apparatus pda fpda programmable) same		
		((run\$3 execut\$3) with (application		
		program)) and ((authoriz\$5 access\$3		
		trust privilege security authority) with		
	[level) same (compar\$4 or determin\$4 or		
		match\$4 verify\$4 verification		
		determination validation check\$3) same		
		((run\$3 execut\$3) with (application		
		program)) and (compar\$4 or determin\$4		
		or match\$4 verify\$4 verification		
		determination validation check\$3) with		
		((serial adj number) id identifier		
		identification code key) and (copy\$4		
		duplicate\$3 reproduc\$3) with ((serial adj		
		number) id identifier identification		
		code key) and encrypt\$4 same (data		
		information record) same ((serial adj		
		number) id identifier identification		
		code key) same ((authoriz\$5 access\$3		
		trust privilege security authority) with		
_	32000	level)) test near2 (application program)	HCDAT.	2004/08/03
-] 32000	cose mears (abbitcacion brodiam)	USPAT; US-PGPUB;	18:08
	1		EPO; JPO;	10.00
			DERWENT;	
			IBM TDB	
	<u> </u>	1		L

_	8	(test near2 (application program)) and backdoor	USPAT; US-PGPUB;	2004/08/03 18:10
			EPO; JPO; DERWENT; IBM TDB	
_	6	(test near2 (application program)) and backdoor and ((serial adj number) id	USPAT; US-PGPUB;	2004/08/03 18:13
		identifier identification)	EPO; JPO; DERWENT;	10.13
_	378	encrypt\$4 with (data information record)	IBM_TDB USPAT;	2004/08/03
		with ((serial adj number) id identifier identification code key) with ((authoriz\$5 access\$3 trust privilege	US-PGPUB; EPO; JPO; DERWENT;	18:15
_	0	security authority) with level) encrypt\$4 with (data information record)	IBM_TDB USPAT;	2004/08/03
		with ((serial adj number) id identifier	US-PGPUB;	18:16
		identification code key) with ((authoriz\$5 access\$3 trust privilege security authority)with level) and	EPO; JPO; DERWENT; IBM TDB	
	36	fetch\$3 near2 (serial adj number)	_	2004/00/03
	30	with ((serial adj number) id identifier	USPAT; US-PGPUB;	2004/08/03 18:28
		identification) with ((authoriz\$5 access\$3 trust privilege security	EPO; JPO; DERWENT;	
		authority)with level) and (fetch\$3 retriev\$3 locat\$3 obtain\$3) near2	IBM_TDB	
		((serial adj number) id identifier		
_	56	identification) encrypt\$4 with (data information record)	USPAT;	2004/08/03
		with ((serial adj number) id identifier identification) with ((authoriz\$5	US-PGPUB; EPO; JPO;	18:28
		access\$3 trust privilege security	DERWENT;	
		authority)with level) and (fetch\$3 retriev\$3 locat\$3 obtain\$3 (compar\$4 or	IBM_TDB	
		determin\$4 or match\$4 verify\$4 verification determination validation		
		check\$3)) near2 ((serial adj number) id		
_	36	identifier identification	USPAT;	2004/08/03
) with ((serial adj number) id identifier identification) with	US-PGPUB; EPO; JPO;	18:29
		((authoriz\$5 access\$3 trust privilege	DERWENT;	
<u> </u>		security authority) with level) and (fetch\$3 retriev\$3 locat\$3 obtain\$3)	IBM_TDB	
		near2 ((serial adj number) id identifier		
		identification)) and (encrypt\$4 with (data information record) with ((serial		
		adj number) id identifier identification) with ((authoriz\$5 access\$3 trust		
		<pre>privilege security authority)with level) and (fetch\$3 retriev\$3 locat\$3 obtain\$3</pre>		
		(compar\$4 or determin\$4 or match\$4		
		verify\$4 verification determination validation check\$3)) near2 ((serial adj		
		number) id identifier identification))		

-	20	(encrypt\$4 with (data information record	USPAT;	2004/08/04
) with ((serial adj number) id identifier identification) with	US-PGPUB;	10:12
		((authoriz\$5 access\$3 trust privilege	EPO; JPO; DERWENT;	
		security authority) with level) and	IBM TDB	
		(fetch\$3 retriev\$3 locat\$3 obtain\$3	15.1_155	
		(compar\$4 or determin\$4 or match\$4	•	
		verify\$4 verification determination		
		validation check\$3)) near2 ((serial adj		
		<pre>number) id identifier identification))</pre>		
		not (encrypt\$4 with (data information		
		record) with ((serial adj number) id		
		identifier identification) with		
		((authoriz\$5 access\$3 trust privilege		
		security authority) with level) and		
		(fetch\$3 retriev\$3 locat\$3 obtain\$3)		
		near2 ((serial adj number) id identifier		
_	813	identification)) ((serial adj number) id identifier	IICDATE.	2004/08/04
_	013	((Serial ad) number) id identifier identification) with ((authoriz\$5	USPAT;	2004/08/04
		access\$3 trust privilege security	US-PGPUB; EPO; JPO;	10.43
		authority)with level) with (memory	DERWENT;	
		stor\$4 card)	IBM TDB	
-	265	((serial adj number) id identifier	USPAT;	2004/08/04
		identification) with ((authoriz\$5	US-PGPUB;	10:33
		access\$3 trust privilege security	EPO; JPO;	
		authority) with level) with (memory	DERWENT;	
		stor\$4 card token) and ((device	IBM_TDB	
		apparatus pda fpga programmable computer		
		portable pga pld) with (access\$3 run\$3		
		execut\$4) with (application program))		
		same ((device apparatus pda fpga		
		programmable computer portable pga pld)		
		with (enabl\$3 configur\$4 program\$4 ready))		
_	11	((serial adj number) id identifier	USPAT;	2004/08/04
		identification) with ((authoriz\$5	US-PGPUB;	12:57
		access\$3 trust privilege security	EPO; JPO;	
		authority) with level) with (memory	DERWENT;	
		stor\$4 card token flash rom) and	IBM_TDB	
		((device apparatus pda fpga programmable	_	
		computer portable pga pld) with (access\$3		
		run\$3 execut\$4) with (application		
		program)) same ((device apparatus pda		
		fpga programmable computer portable pga		
		pld) with (enabl\$3 configur\$4 program\$4		
		ready)) and (locat\$4 find\$4 retriev\$4 fetch\$4) with (data record token		
		information) same (device apparatus pda		
		fpga programmable computer portable pga		
		pld) with (memory stor\$4 card token		
		flash rom) same ((serial adj number) id		
		identifier identification) with		
		((authoriz\$5 access\$3 trust privilege		
		security authority) with level)		
-	3	("3609697" "4031517" "4034339").PN.	USPAT	2004/08/04
				11:07
-	55	3609697.URPN.	USPAT	2004/08/04
			HCD2m.	11:12
-	4	"2002002621"	USPAT;	2004/08/04
			US-PGPUB;	12:58
			EPO; JPO; DERWENT;	
			IBM TDB	
_	0	us2002002621	USPAT;	2004/08/04
			US-PGPUB;	12:58
			EPO; JPO;	
			DERWENT;	·
			IBM_TDB	
		La de la constantia del constantia della constantia della constantia della constantia della constantia della		

	-			
-	0	us20020002621	USPAT;	2004/08/04 12:58
	1		US-PGPUB; EPO; JPO;	12:58
			DERWENT;	
			IBM TDB	
_	2	"20020002621"	USPAT;	2004/08/04
			US-PGPUB;	13:06
			EPO; JPO;	
			DERWENT;	
	0	6+405318	IBM_TDB	2004/08/04
-		6+405318	USPAT; US-PGPUB;	2004/08/04
			EPO; JPO;	13.00
			DERWENT;	
			IBM TDB	
-	9	"6405318"	USPAT;	2004/08/04
			US-PGPUB;	15:30
			EPO; JPO;	
			DERWENT;	
_	2	("6499110" "6657956").pn. and (display\$4	IBM_TDB USPAT;	2004/08/04
		window output\$5 same ((verify\$4	US-PGPUB;	15:42
		verification determin\$5 validat\$5 match\$4	EPO; JPO;	
		indicat\$5) (associat\$4 depend\$3 relat\$4	DERWENT;	
		basis based)) same (rule policy	IBM_TDB	
		attribute right)		2004/00/05
_	32165	(configur\$5 enabl\$3 authoriz\$3	USPAT;	2004/08/05
		initializ\$5) with(device apparatus pda fpga programmable computer portable pga	US-PGPUB; EPO; JPO;	11:05
		pld palm) and (test\$3 backdoor) with	DERWENT;	
		(application program software)	IBM TDB	
_	16763		USPAT;	2004/08/05
		initializ\$5) near2 (device apparatus pda	US-PGPUB;	11:07
		fpga programmable computer portable pga	EPO; JPO;	
		pld palm) and (test\$3 backdoor) with	DERWENT;	
1	6251	(application program software)	IBM_TDB USPAT;	2004/08/05
_	6231	(configur\$5 enabl\$3 authoriz\$3 initializ\$5) near2 (device apparatus pda	US-PGPUB;	11:08
		fpga programmable computer portable pga	EPO; JPO;	
		pld palm) and (test\$3 backdoor) with	DERWENT;	
		(application program software) same	IBM_TDB	
		(verification verify\$4 determin\$4		
		check\$4)	IIGDAM -	2004/08/05
-	2	(configur\$5 enabl\$3 authoriz\$3 initializ\$5) near2 (device apparatus pda	USPAT; US-PGPUB;	2004/08/05
		fpga programmable computer portable pga	EPO; JPO;	*****
		pld palm) and (test\$3 backdoor) with	DERWENT;	
		(application program software) same	IBM_TDB	
		(verification verify\$4 determin\$4 check\$4		
		reassur\$3 ensur\$3) and (verification		
		verify\$4 determin\$4 check\$4 reassur\$3		
		ensur\$3) with (device apparatus pda fpga programmable computer portable pga pld		
1		palm) with(test\$3 backdoor control\$4)		
		near2 (application program) same		
		((authoriz\$5 access\$3 trust privilege		
		security authority) with level)		
-	570	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/08/05
		initializ\$5) near2 (device apparatus pda	US-PGPUB;	11:18
		fpga programmable computer portable pga pld palm) and (test\$3 backdoor) with	EPO; JPO; DERWENT;	
		(application program software) same	IBM TDB	
		(verification verify\$4 determin\$4 check\$4		
		reassur\$3 ensur\$3) and (verification		
		verify\$4 determin\$4 check\$4 reassur\$3		
		ensur\$3) with (device apparatus pda fpga	1	
		programmable computer portable pga pld		
		<pre>palm) with(test\$3 backdoor control\$4) near2 (application program)</pre>		
	L	nearz (appricación program /	1	

initializ\$5) near2 (device apparatus pda fpga programmable computer portable pga pld palm) and (test\$3 backdoor) with (application program software) same (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) and (verification	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 11:32
ensur\$3) with (device apparatus pda fpga programmable computer portable pga pld palm) with(test\$3 backdoor control\$4) near2 (application program) and (access\$3 run44 execut\$4) with (application program) with (attribute control security trust) (configur\$5 enabl\$3 authoriz\$3 initializ\$5) near2 (device apparatus pda fpga programmable computer portable pga pld palm) and (test\$3 backdoor) with (application program software) same (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) and (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) with (device apparatus pda fpga programmable computer portable pga pld palm) with(test\$3 backdoor control\$4) near2 (application program) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 11:34
(access\$3 run44 execut\$4) with (application program) with (attribute control security trust) and (compar\$4 or determin\$4 or match\$4 verify\$4 verification determination validation check\$3) with ((serial adj number) id identifier identification) (configur\$5 enabl\$3 authoriz\$3 initializ\$5) near2 (device apparatus pda fpga programmable computer portable pga pld palm) and (test\$3 backdoor) with (application program software) same (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) and (verification	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 12:17
ensur\$3) with (device apparatus pda fpga programmable computer portable pga pld palm) with(test\$3 backdoor control\$4) near2 (application program) and (access\$3 run44 execut\$4) with (application program) with (attribute control security trust) and (compar\$4 or determin\$4 or match\$4 verify\$4 verification determination validation check\$3) with ((serial adj number) id identifier identification) and encrypt\$4 5610981.URPN.	USPAT	2004/08/05 11:40
	USPAT	2004/08/05 11:57 2004/08/05 12:01
	initializ\$) mear2 (device apparatus pda fpga programmable computer portable pga pld palm) and (test\$3 backdoor) with (application program software) same (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) and (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) with (device apparatus pda fpga programmable computer portable pga pld palm) with(test\$3 backdoor control\$4) near2 (application program) with (attribute control security trust) (configur\$5 enabl\$3 authoriz\$3 initializ\$5) near2 (device apparatus pda fpga programmable computer portable pga pld palm) and (test\$3 backdoor) with (application program software) same (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) and (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) and (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) with (device apparatus pda fpga programmable computer portable pga pld palm) with(test\$3 backdoor control\$4) near2 (application program) and (access\$3 run44 execut\$4) with (application program) and (access\$3 run44 execut\$4) with (application program) with (attribute control security trust) and (compar\$4 or determin\$4 or match\$4 verify\$4 verification determination validation check\$3) with ((serial adj number) id identifier identification) (configur\$5 enabl\$3 authoriz\$3 initializ\$5) near2 (device apparatus pda fpga programmable computer portable pga pld palm) and (test\$3 backdoor) with (application program software) same (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) with (device apparatus pda fpga programmable computer portable pga pld palm) with(test\$3 backdoor) with (application program with (attribute control \$4) near2 (application program) and (compar\$4 or determin\$4 or watch\$4 verify\$4 verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) with (serial adj number) id identification verify\$4 determin\$4 or watch\$4 verify\$4 verification determination validation check\$3 with (serial adj number) id identification determin\$4 or watch\$4 verify\$4 verification determin\$54 or wi	initializ\$5) near2 (device apparatus pda fpga programmable computer same (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) with (device apparatus pda fpga programmable computer portable pga pld palm) with(test\$3 backdoor control\$4) near2 (application program) and (access\$3 run44 execut\$4) with (application program with (application program with (application program software) same (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) mitializ\$5) near2 (device apparatus pda fpga programmable computer portable pga pld palm) and (test\$3 backdoor) with (application program software) same (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) and (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) with (device apparatus pda fpga programmable computer portable pga pld palm) with(test\$3 backdoor control\$4) near2 (application program) and (access\$3 run44 execut\$4) with (application program with (attribute control security trust) and (compar\$4 or determin\$4 or match\$4 verify\$4 verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) with (device apparatus pda fpga programmable computer portable pga pld palm) and (test\$3 backdoor) with (application program software) same (verification verify\$4 determin\$4 or match\$4 verify\$4 verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) and (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) with (device apparatus pda fpga programmable computer portable pga pld palm) with(test\$3 backdoor control\$4) near2 (application program) and (access\$3 run44 execut\$4) with (application program) and (access\$3 run44 execut\$4) with (application program) and (access\$3 run44 execut\$4) with (application program) and (access\$3 run44 execut\$4) with (application program) and (access\$3 run44 execut\$4) with (application program) and (access\$3 run44 execut\$4) with (application program) and (access\$3 run44 execut\$4) with (application program) and (access\$3 run44 execut\$4] with (application program) and (access\$3 run44 execut\$4] with (applicati

Page 7

12	(configur\$5 enabl\$3 authoriz\$3 initializ\$5) near2 (device apparatus pda fpga programmable computer portable pga pld palm) and (test\$3 backdoor) with (application program software) same (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) and (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) with (device apparatus pda fpga programmable computer portable pga pld palm) with (test\$3 backdoor control\$4) near2 (application program) and (access\$3 run\$4 execut\$4) with (application program) same (((authoriz\$5 access\$3 trust privilege security authority)with level) with (higher greater less more)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 12:21
50	(configur\$5 enabl\$3 authoriz\$3 initializ\$5) near2 (device apparatus pda fpga programmable computer portable pga pld palm) and (test\$3 backdoor) with (application program software) same (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) and (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) with (device apparatus pda fpga programmable computer portable pga pld palm) with (application program) and (access\$3 run\$4 execut\$4) with (application program) same (((authoriz\$5 access\$3 trust privilege security authority)with level) with (higher greater less more))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 12:21
69	(configur\$5 enabl\$3 authoriz\$3 initializ\$5 program\$5) near2 (device apparatus pda fpga programmable computer portable pga pld palm) and (test\$3 backdoor) with (application program software) same (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) and (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) with (device apparatus pda fpga programmable computer portable pga pld palm) with (application program) and (access\$3 run\$4 execut\$4) with (application program) same (((authoriz\$5 access\$3 trust privilege security authority)with level) with (higher greater less more))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 12:29

Page 8

	19	((configur\$5 enabl\$3 authoriz\$3 initializ\$5) near2 (device apparatus pda fpga programmable computer portable pga pld palm) and (test\$3 backdoor) with (application program software) same (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) and (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) with (device apparatus pda fpga programmable computer portable pga pld palm) with (application program) and (access\$3 run\$4 execut\$4) with (application program) same (((authoriz\$5 access\$3 trust privilege security authority)with level) with (higher greater less more))) not ((configur\$5 enabl\$3 authoriz\$3 initializ\$5) near2 (device apparatus pda fpga programmable computer portable pga pld palm) and (test\$3 backdoor) with (application program software) same (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) and (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) and (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) same ((authoriz\$5 access\$3 trust privilege security authority)with level) with (application program) same (((authoriz\$5 access\$3 trust privilege security authority)with level) with (higher greater less more))) ((configur\$5 enabl\$3 authoriz\$3 initializ\$5 program\$5) near2 (device apparatus pda fpga programmable computer portable pga pld palm) and (test\$3 backdoor) with (application program 5) near2 (device apparatus pda fpga programmable computer portable pga pld palm) and (test\$3 backdoor) with (application program software) same (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) backdoor) same (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) and (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) and (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) and (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) and (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) and (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 12:22 2004/08/05 12:32
-	97	software) same (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) and (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) with (device apparatus pda fpga programmable computer portable pga pld palm) with (application program) and (access\$3 run\$4 execut\$4) with (application program) same (((authoriz\$5 access\$3 trust privilege security authority)with level) with (higher greater less more))) not ((configur\$5 enabl\$3 authoriz\$3 initializ\$5) near2 (device apparatus pda fpga programmable computer portable pga pld palm) and (test\$3 backdoor) with (application program software) same (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) and (verification verify\$4 determin\$4 check\$4 reassur\$3 ensur\$3) with (device apparatus pda fpga programmable computer portable pga pld palm) with (application program) and (access\$3 run\$4 execut\$4) with (application program) same (((authoriz\$5 access\$3 trust privilege security authority)with level) with (higher greater less more)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 12:33

-	97	(assign\$4 provid43) near2 ((authoriz\$5	USPAT;	2004/08/05
		access\$3 trust privilege security	US-PGPUB;	12:33
		authority) with level) with (device	EPO; JPO;	
		apparatus pda fpga programmable computer	DERWENT;	
	173	portable pga pld palm) (assign\$4 provid\$3) near2 ((authoriz\$5	IBM_TDB USPAT;	2004/08/05
	1/3	access\$3 trust privilege security	US-PGPUB;	12:34
		authority) with level) with (device	EPO; JPO;	12.34
		apparatus pda fpga programmable computer	DERWENT;	
		portable pga pld palm)	IBM TDB	
_	28	(assign\$4 provid\$3) near2 ((authoriz\$5	USPAT;	2004/08/05
		access\$3 trust privilege security	US-PGPUB;	12:57
		authority) with level) with (device	EPO; JPO;	
		apparatus pda fpga programmable computer	DERWENT;	
		portable pga pld palm) and (assign\$4	IBM_TDB	
		provid\$3) near2 ((authoriz\$5 access\$3		
		trust privilege security authority) with		
		level) with (application program		
	6473	software)	IIGDAM.	2004/00/05
-	6473	(remov\$3 delet\$3 overwrit\$4) with	USPAT;	2004/08/05
		<pre>(application program) with (success\$3 succeed\$3 valid\$5 complet\$3)</pre>	US-PGPUB;	13:00
		Succeed;	EPO; JPO; DERWENT;	
			IBM TDB	
_	941	(remov\$3 delet\$3 overwrit\$4) with	USPAT;	2004/08/05
		(application program) with (device	US-PGPUB;	13:01
		apparatus pda fpga programmable computer	EPO; JPO;	
		portable pga pld palm) with (success\$3	DERWENT;	
		succeed\$3 valid\$5 complet\$3)	IBM_TDB	1
-	65	(remov\$3 delet\$3 overwrit\$4) with	USPAT;	2004/08/05
		(application program) with (device	US-PGPUB;	13:01
		apparatus pda fpga programmable computer	EPO; JPO;	
		portable pga pld palm) with (after)	DERWENT;	
		near2(success\$3 succeed\$3 valid\$5 complet\$3)	IBM_TDB	
_	92	(remov\$3 delet\$3 overwrit\$4) with	USPAT;	2004/08/05
		(application program) with (device	US-PGPUB;	13:07
		apparatus pda fpga programmable computer	EPO; JPO;	
		portable pga pld palm) with (after)	DERWENT;	
		near2(success\$3 succeed\$3 valid\$5	IBM_TDB	
		complet\$3 run\$4 execut\$4)	_	
-	2535	(remov\$3 delet\$3 overwrit\$4) with	USPAT;	2004/08/05
		(application program) with (device	US-PGPUB;	13:08
		apparatus pda fpga programmable computer	EPO; JPO;	
		portable pga pld palm) with (success\$3	DERWENT;	
		succeed\$3 valid\$5 complet\$3 run\$4	IBM_TDB	
_	438	execut\$4) (remov\$3 delet\$3 overwrit\$4) near2	USPAT;	2004/08/05
	430	(application program) with(device	US-PGPUB;	13:10
		apparatus pda fpga programmable computer	EPO; JPO;	= 3 . 2
		portable pga pld palm) with (success\$3	DERWENT;	
		succeed\$3 valid\$5 complet\$3 run\$4	IBM_TDB	
		execut\$4)	-	
-	0	(remov\$3 delet\$3 overwrit\$4) near2	USPAT;	2004/08/05
		(application program) with (device	US-PGPUB;	13:09
		apparatus pda fpga programmable computer	EPO; JPO;	
		portable pga pld palm) with (success\$3	DERWENT;	
		succeed\$3 valid\$5 complet\$3 run\$4 execut\$4) and (assign\$4 provid\$3) near2	IBM_TDB	
		execut\$4		
		security authority)with level) with		
	1	(application program software)		
-	2	(remov\$3 delet\$3 overwrit\$4) near2	USPAT;	2004/08/05
	1	(application program) with (device	US-PGPUB;	13:09
		apparatus pda fpga programmable computer	EPO; JPO;	
		portable pga pld palm) with (success\$3	DERWENT;	
		succeed\$3 valid\$5 complet\$3 run\$4	IBM_TDB	
		execut\$4) and (assign\$4 provid\$3)		
		with((authoriz\$5 access\$3 trust privilege		
L	1	security authority) with level)	L	

-		(remov\$3 delet\$3 overwrit\$4) near2	IICDAM.	12004/09/05
	4	(application program) with (device	USPAT;	2004/08/05
		apparatus pda fpga programmable computer	US-PGPUB; EPO; JPO;	13:11
		portable pga pld palm) with (success\$3		
		succeed\$3 valid\$5 complet\$3 run\$4	DERWENT; IBM TDB	
		execut\$4) and encrypt\$4 with stor\$4	TDM_TDB	
		with flash		
_	325	(remov\$3 delet\$3 overwrit\$4) near2	USPAT;	2004/08/05
		(application program) with (device	US-PGPUB;	13:12
	Í	apparatus pda fpga programmable computer	EPO; JPO;	13.12
		portable pga pld palm) with (success\$3	DERWENT;	
		succeed\$3 valid\$5 complet\$3 run\$4	IBM TDB	
		execut\$4) and (configur\$5 enabl\$3		
		authoriz\$3 initializ\$5 program\$4) near2		
	i	(device apparatus pda fpga programmable		
		computer portable pga pld palm)		
_	101	(remov\$3 delet\$3 overwrit\$4) near2	USPAT;	2004/08/05
		(application program) with (device	US-PGPUB;	13:24
		apparatus pda fpga programmable computer	EPO; JPO;	13.21
		portable pga pld palm) with (success\$3	DERWENT;	
		succeed\$3 valid\$5 complet\$3 run\$4	IBM TDB	
		execut\$4) and (configur\$5 enabl\$3		
		authoriz\$3 initializ\$5 program\$4) near2		
		(device apparatus pda fpga programmable		
		computer portable pga pld palm) with		
		(run\$4 execut\$4 access\$4) with (program		
		application) with (security control\$4		
		authoriz\$4)		
-	119	(remov\$3 delet\$3 overwrit\$4) near2	USPAT;	2004/08/05
		(application program) with(device	US-PGPUB;	13:33
		apparatus pda fpga programmable computer	EPO; JPO;	
		portable pga pld palm memory) with	DERWENT;	<u> </u>
		(success\$3 succeed\$3 valid\$5 complet\$3	IBM TDB	
		run\$4 execut\$4) and (configur\$5 enabl\$3	_	
		authoriz\$3 initializ\$5 program\$4) near2		
		(device apparatus pda fpga programmable		
		computer portable pga pld palm) with		
		(run\$4 execut\$4 access\$4) with (program		
		application) with (security control\$4		
		authoriz\$4)		
-	18	((remov\$3 delet\$3 overwrit\$4) near2	USPAT;	2004/08/05
		(application program) with(device	US-PGPUB;	13:25
		apparatus pda fpga programmable computer	EPO; JPO;	
		portable pga pld palm memory) with	DERWENT;	
		(success\$3 succeed\$3 valid\$5 complet\$3	IBM_TDB	
		run\$4 execut\$4) and (configur\$5 enabl\$3		
		authoriz\$3 initializ\$5 program\$4) near2		1
	1	(device apparatus pda fpga programmable		
		computer portable pga pld palm) with		
		(run\$4 execut\$4 access\$4) with (program		
		application) with (security control\$4		
	[authoriz\$4)) not ((remov\$3 delet\$3		
		overwrit\$4) near2 (application program)		
		with (device apparatus pda fpga		
		<pre>programmable computer portable pga pld palm) with (success\$3 succeed\$3 valid\$5</pre>	j	
		complet\$3 run\$4 execut\$4) and		
	 	(configur\$5 enabl\$3 authoriz\$3		
		initializ\$5 program\$4) near2 (device		
		apparatus pda fpga programmable computer		
		portable pga pld palm) with (run\$4		
		execut\$4 access\$4) with (program		
		<pre>application) with (security control\$4 authoriz\$4))</pre>		
		auchorizadi)	<u> </u>	<u></u>

Page 11

				····
-	4	((remov\$3 delet\$3 overwrit\$4) near2	USPAT;	2004/08/05
		(application program) with (device	US-PGPUB;	13:35
		apparatus pda fpga programmable computer	EPO; JPO;	
		portable pga pld palm memory) with	DERWENT;	
		<pre>(success\$3 succeed\$3 valid\$5 complet\$3 run\$4 execut\$4) and (configur\$5 enabl\$3</pre>	IBM_TDB	
	-			
		authoriz\$3 initializ\$5 program\$4 allow\$3 permi\$5) near2 (device apparatus pda		
		fpga programmable computer portable pga		
		pld palm) with (run\$4 execut\$4 access\$4)		
		with (program application) with (security		
		control\$4 authoriz\$4)) not ((remov\$3		
	•	delet\$3 overwrit\$4) near2 (application		
		program) with (device apparatus pda fpga		
	,	programmable computer portable pga pld		
		palm memory) with (success\$3 succeed\$3		
		valid\$5 complet\$3 run\$4 execut\$4) and		
		(configur\$5 enabl\$3 authoriz\$3		
		initializ\$5 program\$4) near2 (device		
		apparatus pda fpga programmable computer		
		portable pga pld palm) with (run\$4		
		execut\$4 access\$4) with (program		
		application) with (security control\$4		
		authoriz\$4))		0004455455
-	19776	(configur\$5 enabl\$3 authoriz\$3	USPAT;	2004/08/05
		initializ\$5 program\$4 allow\$3 permi\$5)	US-PGPUB;	13:40
		near2 (device apparatus pda fpga	EPO; JPO;	
		programmable computer portable pga pld	DERWENT;	
		palm) with (run\$4 execut\$4 access\$4) with	IBM_TDB	
		<pre>(program application) with (security control\$4 authoriz\$4)</pre>		
l _	6701	(configur\$5 enabl\$3 authoriz\$3	USPAT;	2004/08/05
	0,01	initializ\$5 program\$4 allow\$3 permi\$5)	US-PGPUB;	13:40
		near2 (device apparatus pda fpga	EPO; JPO;	13.40
		programmable computer portable pga pld	DERWENT;	
		palm) with (run\$4 execut\$4 access\$4) with	IBM TDB	
1		(program application) near2 (security		
		control\$4 authoriz\$4)		
-	664	(configur\$5 enabl\$3 authoriz\$3	USPAT;	2004/08/05
		initializ\$5 program\$4 allow\$3 permi\$5)	US-PGPUB;	13:41
		near2 (device apparatus pda fpga	EPO; JPO;	
		programmable computer portable pga pld	DERWENT;	
		palm) with (run\$4 execut\$4 access\$4) with	IBM_TDB	
		(program application) near2 (security		
I _	E 2	control\$4 authoriz\$4) and encrypt\$4	IIGDAT.	2004/08/05
-	53	(configur\$5 enabl\$3 authoriz\$3 initializ\$5 program\$4 allow\$3 permi\$5)	USPAT; US-PGPUB;	13:42
		near2 (device apparatus pda fpga	EPO; JPO;	13.16
		programmable computer portable pga pld	DERWENT;	
		palm) with (run\$4 execut\$4) with	IBM TDB	
		(program application) near2 (security		
		control\$4 authoriz\$4) and encrypt\$4 and		
		(((authoriz\$5 access\$3 trust privilege		
		security authority) with level) with		
		(higher greater less more))		
-	470	(configur\$5 enabl\$3 authoriz\$3	USPAT;	2004/08/05
		initializ\$5 program\$4 allow\$3 permi\$5)	US-PGPUB;	14:02
		near2 (device apparatus pda fpga	EPO; JPO;	
		programmable computer portable pga pld	DERWENT;	
		palm) with (run\$4 execut\$4) with	IBM_TDB	
		(program application) near2 (security		
	1	control\$4 authoriz\$4) and encrypt\$4	menam.	2004/00/05
_	678	(configur\$5 enabl\$3 authoriz\$3	USPAT;	2004/08/05
	-	initializ\$5 program\$4 allow\$3 permi\$5) near2 (device apparatus pda fpga	US-PGPUB; EPO; JPO;	14.00
		programmable computer portable pga pld	DERWENT;	
		palm) with (run\$4 execut\$4) with	IBM TDB	
		(program application) near2 (security		
1		control\$4 authoriz\$4 configur\$5) and		
		encrypt\$4		
·				

_	206	((configur\$5 enabl\$3 authoriz\$3 initializ\$5 program\$4 allow\$3 permi\$5) near2 (device apparatus pda fpga programmable computer portable pga pld palm) with (run\$4 execut\$4) with (program application) near2 (security control\$4 authoriz\$4 configur\$5) and encrypt\$4) not ((configur\$5 enabl\$3 authoriz\$3 initializ\$5 program\$4 allow\$3 permi\$5) near2 (device apparatus pda fpga programmable computer portable pga pld palm) with (run\$4 execut\$4 access\$4) with (program application) near2 (security control\$4 authoriz\$4) and encrypt\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05
_	123	(remov\$3 delet\$3 overwrit\$4) near2 (application program) with(device apparatus pda fpga programmable computer portable pga pld palm memory) with (success\$3 succeed\$3 valid\$5 complet\$3 run\$4 execut\$4) and (configur\$5 enabl\$3 authoriz\$3 initializ\$5 program\$4 allow\$3 permi\$5) near2 (device apparatus pda fpga programmable computer portable pga pld palm) with (run\$4 execut\$4 access\$4) with (program application) with (security control\$4 authoriz\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 17:01
-	156	l ' '	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 17:02
_	33	((remov\$3 delet\$3 overwrit\$4 eras\$4) near2 (application program) with(device apparatus pda fpga programmable computer portable pga pld palm memory) with (success\$3 succeed\$3 valid\$5 complet\$3 run\$4 execut\$4) and (configur\$5 enabl\$3 authoriz\$3 initializ\$5 program\$4 allow\$3 permi\$5) near2 (device apparatus pda fpga programmable computer portable pga pld palm) with (run\$4 execut\$4 access\$4) with (program application) with (security control\$4 authoriz\$4)) not ((remov\$3 delet\$3 overwrit\$4) near2 (application program) with(device apparatus pda fpga programmable computer portable pga pld palm memory) with (success\$3 succeed\$3 valid\$5 complet\$3 run\$4 execut\$4) and (configur\$5 enabl\$3 authoriz\$3 initializ\$5 program\$4 allow\$3 permi\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 17:39
-	245004	near2 (device apparatus pda fpga programmable computer portable pga pld palm) with (run\$4 execut\$4 access\$4) with (program application) with (security control\$4 authoriz\$4)) 5933497.pn. flash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/05 17:40

_	0	5933497.pn. and (flash eeprom)	USPAT;	2004/08/05
			US-PGPUB;	18:06
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	6425084.pn. and (flash eeprom)	USPAT;	2004/08/05
		•	US-PGPUB;	17:42
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	5933497.pn.	USPAT;	2004/08/05
			US-PGPUB;	18:06
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	